	Application No.	Applicant(s)
Notice of Allowability	09/998,348	SDIEL BERGER ET AL
	Examiner	SPIELBERGER ET AL. Art Unit
	Ishwar (I. R.). Batal	
	Ishwar (I. B.) Patel	2827
The MAILING DATE of this communical All claims being allowable, PROSECUTION ON THE ME herewith (or previously mailed), a Notice of Allowance (FNOTICE OF ALLOWABILITY IS NOT A GRANT OF PA of the Office or upon petition by the applicant. See 37 C	ERITS IS (OR REMAINS) CLOSED in to PTOL-85) or other appropriate communated in the communate in the community of the communi	this application. If not included
1. This communication is responsive to <u>March 24, 2</u>	003	
2. The allowed claim(s) is/are 1,2,5-22 and 24-27.		
3. The drawings filed on 24 March 2003 are accepted	ed by the Examiner	
4. Acknowledgment is made of a claim for foreign p	riority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of the		
Certified copies of the priority docume		
2. Certified copies of the priority docume		
3. Copies of the certified copies of the p		in this national stage application from the
International Bureau (PCT Rule 17	7.2(a)).	
* Certified copies not received:	priority and a 25 LLC O S 440(1) (4	
5. Acknowledgment is made of a claim for domestic(a) The translation of the foreign language proving	visional application has been received	provisional application).
6. Acknowledgment is made of a claim for domestic		121
	priority direct 55 5.5.5. 33 125 and/or	121.
Applicant has THREE MONTHS FROM THE "MAILING I below. Failure to timely comply will result in ABANDONN	DATE" of this communication to file a re MENT of this application. THIS THRE	eply complying with the requirements noted E-MONTH PERIOD IS NOT EXTENDABLE
7. \square A SUBSTITUTE OATH OR DECLARATION must INFORMAL PATENT APPLICATION (PTO-152) which g	be submitted. Note the attached EXAN ives reason(s) why the oath or declara	MINER'S AMENDMENT or NOTICE OF tion is deficient.
8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of D 1) hereto or 2) to Paper No. (b) including changes required by the proposed of D (c) including changes required by the attached E	drawing correction filed, which	has been approved by the Examiner.
Identifying indicia such as the application number (see each sheet.	37 CFR 1.84(c)) should be written on the	drawings in the front (not the back) of
 DEPOSIT OF and/or INFORMATION about the attached Examiner's comment regarding REQUIREMENT 	ne deposit of BIOLOGICAL MATER T FOR THE DEPOSIT OF BIOLOGICA	RIAL must be submitted. Note the AL MATERIAL.
Attachment(s)		
 1 Notice of References Cited (PTO-892) 3 Notice of Draftperson's Patent Drawing Review (PTC Discount of December 1970 (PTO-1449), Paper 1970 (PTO-1449), Pape	0-948) 4⊠ Interview 5 er No 6⊠ Examiner's	nformal Patent Application (PTO-152) Summary (PTO-413), Paper No S Amendment/Comment S Statement of Reasons for Allowance

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gregory Bruns (Reg. 33,656) on May 1, 2003.

The application has been amended as follows:

- (I) In claim 24, delete "for" and add - assembly -, line 1.
- (II) In claim 25, add - assembly -, after "The interposer" line 1.
- (III) In claim 26, add - assembly -, after "The interposer" line 1.
- 2. The following is an examiner's statement of reasons for allowance:

A flexible interposer assembly connecting an electronic component having first thermal coefficient of expansion with a printed circuit board having second thermal coefficient of expansion, wherein the connection pads for solder ball connections on the

Art Unit: 2827

interposer are smaller than the respective connection pads on the electronic component and the printed circuit board are not disclosed by prior art alone or in combination.

Though, flexible interposer for connecting an electronic component with a printed circuit board are known in the art, the interposer assembly as disclosed and enabled by the specification having smaller connection pads for solder ball connections on the interposer than respective connection pads on the electronic component and the printed circuit board, as shown in figure 7, making a parabolic shape, has not been disclosed by prior art.

3. Claims 1-2, 5-17 and 24-27, directed to an allowable product. Pursuant to the procedures set forth in the Official Gazette notice dated March 26, 1996 (1184 O.G. 86), claims 20-22, directed to the process of making or using the patentable product, previously withdrawn from consideration as a result of a restriction requirement, are now subject to being rejoined. Claims 20-22 are hereby rejoined and fully examined for patentability under 37 CFR 1.104.

Since all claims previously withdrawn from consideration under 37 CFR 1.142 have been rejoined, the restriction requirement is hereby withdrawn.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 09/998,348

Art Unit: 2827

Page 4

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ishwar (I. B.) Patel whose telephone number is (703) 305 2617. The examiner can normally be reached on M-F (8:30 - 5).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David L Talbott can be reached on (703) 305 9883. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305 3431 for regular communications and (703) 305 7724 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308 0956.

SUPEŘVISORY PA

ibp May 2, 2003